A Co-Benefit Approach to Prioritizing Lands for Coastal Resilience







Increasing use of natural and nature-based features to build resilience to storm-driven flooding

Natural and Nature Based Features (NNBF)

















Identify NNBFs that enhance flood resilience-

Capacity of NNBFs to mitigate coastal flooding:

What are the characteristics of each NNBF that slow water movement, allow flood waters to infiltrate, and dampen wave energy?

Coastal wetlands
can act like 'shag
carpet' during a
hurricane —
NewsWorks



Living shoreline project in Gloucester. Photo: Karen Duhring

- "...Because of their vegetation, the marshes act like shag carpeting, dampening the energy of a wave before it reaches land."
- Lenore Tedesco, PhD, executive director of The Wetlands Institute in Stone Harbor.

Approach to increase NNBF Use

- Step 1. Model flood benefits:

 NNBF Capacity ——— Flooding Resilience
- Step 2. Add water quality and socio-economic benefits

 NNBF + TMDL/ Stormwater & Community Rating System/
 FEMA Credits ——— Co-benefits
- Step 3. NNBF Flood Protection + Co-Benefits = Priority land for protection
- Step 4. Unprotected flood areas + Co-benefits = Priority areas for Restoration & Creation

Step 1: NNBF for flood protection Use of Natural and Nature-Based Features (NNBFs) to Build Resilience to Coastal Flooding

NATURAL AND NATURE-BASED FEATURES: GWYNN'S ISLAND Natural and Nature-Based Features Living Shoreline: Oyster Sill Living Shoreline: Marsh Sill Living Shoreline: Breakwater

Goals of the project:

- Map/Inventory of more than 350,000 NNBFs across the coastal region
- Identify those NNBFs that enhance flood resilience to about 190,000 buildings in coastal areas
- Identify the co-benefits generated by NNBFs
 - Ecologic water quality
 - Socio-economic CRS FEMA
- Identify those NNBFs that provide multiple benefits for communities

How do we link NNBFs with the buildings they protect? Inundation Pathways (IPs)




Inundation Pathways represent lowest areas where flooding waters would begin to flood onto the land and approach buildings

 for more than 190,000 primary buildings in the coastal area @ less than 10 feet in elevation

 pathways based on land elevation derived from LIDAR data

Gwynn's Island, Mathews



How to we link NNBFs with the buildings they protect? Inundation Pathways (IPs)



Inundation Pathways

For each building, we can count the number and types NNBFs that protect it

 This building is protected by 1 NNBF (a tidal marsh)


For each NNBF, we can count the number of buildings it protects

• This tree area protects 3 buildings

NNBF Feature Types (in this map):

Tidal Marsh
Tree

Relative importance of NNBF based on how many buildings it protects: NNBF Flooding Protection Value



Gwynn's Island, Mathews

Areas for NNBF Creation/ Restoration



Town of Cape Charles

500+ buildings.

Many shared Inundation Pathways

Lowest elevation could be priority for new NNBFs

Additional NNBFs priorities can be along IPs that protect:

- Important infrastructure:
 Schools, Hospitals, Shelters, etc
- Clusters of buildings

Areas for NNBF Creation/ Restoration



Town of Cape Charles

Lowest elevation could be priority for new NNBFs

Areas along the shore and within the FEMA floodplain may also qualify for:

 Flood Insurance Premium reductions via the Community Rating System

AND/ OR

TMDL/ Stormwater credits

Take Home Points

- Identifies Natural and Nature Based Features that provide flood protection benefits
- Identifies areas lacking NNBF flood protection benefits
- Incorporate water quality and flood insurance services into the assessment for existing features
- Can target locations for NNBF creation/ restoration to maximize multiple benefits
- Supports the preservation and implementation of NNBF features as a component of coastal community resilience